

FIREFRONT ENGINEERING LLP
175 Darkes Lane, Suite B, 2nd Floor, Potters Bar, Hertfordshire, EN6 1BW, England, Great Britain

FIRE EQUIPMENT
PRODUCT CATALOGUE

PRODUCT CATALOGUE

FIRE FRONT

1. Specification

MODEL: MFZ-8



8KG PAKISTAN BC FIRE EXTINGUISHER	
NAME AND DESCRIPTION	**TECHNICAL SPECIFICATION**
SUITABLE FIRE	
POWDER	BC 40%
CYLINDER SIZE: DIA*HEIGHT	Seamless, D162*H495mm
NECK RING	M30*1.5
POWDERY WEIGHT	8 KG
WHOLE WEIGHT	11.72 KG
VALVE	Brass body with middle black handle, with hanger loop, hose outlet:M16*1.5
GAUGE	Gauge, Dia 25mm, thread: M8*1
HOSE	PVC, thread: M16*1.5, length 580mm
SIPHON TUBE	PVC, thread:M16*1.5, length 440mm
HOOK	Steel hook, with black belt 570mm
STANDARD MATERIAL	GB 4351 - 2005
CYLINDER PAINTING	7325 Red Painting
TEMPERATURE RANGE	-20°C~+60°C
WORKING PRESSURE	14Bar
TEST PRESSURE	27Bar
DISCHARGE TIME	≥ 15S
DISCHARGE RANGE	5 to 7M

2. Product introduction

Size and Spefication



Cylinder Height:
495mm

Cylinder Diameter: 162mm



Tamper sealing, 250mm length

Green fluorescent

Black PVC hose,
M16*1.5*580mm

Black PVC belt, 570mm length

3. Product details

Feature Images		
		
Steel wall hanger		Brass valve with hanger loop
		
Gauge Dia 25mm, M8*1		Black PVC belt, 570mm length
	Capacity: 8KG BC Cylinder Size: D162*H495mm	
PVC, M16*1.5*580mm		PVC, M16*1.5*440mm

4. Product details

Package Pictures



Front



Side



Back



Cylinder thread



Curls bottom



2PCS/CTN

CBM/CTN	Packing Size
M3	CM
0.029	33*17*52